
FLEXSON


ACCESSORIES FOR SONOS

E300FS

A	B	C	D	E	F	
x2	x4	x4	x4	x2	x2	

- **A** M6 x 50mm Button Head Hex-drive
- **B** M6 Metal Spike
- **C** M6 Nut Metal
- **D** M6 Plastic Leg
- **E** M6 x 20mm Counter-sunk Head Hex-drive
- **F** M5 x 12mm Countersunk Head Hex-drive
- 3mm / 4mm Allen key






ADDRESS UK: HEA Distribution Ltd. 75 Westow Hill, London. SE19 1TX. United Kingdom
ADDRESS EU: HEA EURP BV. Kroonwiel 2, 6003BT Weert. Netherlands
EMAIL: support@flexson.com

Questions or need support?

Contact us at support@flexson.com for product or installation assistance.



ADDRESS UK: HEA Distribution Ltd. 75 Westow Hill, London. SE19 1TX. United Kingdom
ADDRESS EU: HEA EURP BV. Kroonwiel 2, 6003BT Weert. Netherlands
EMAIL: support@flexson.com

Questions or need support?

Contact us at support@flexson.com for product or installation assistance.

IMPORTANT SAFETY INSTRUCTIONS – Retain for future reference: ENGLISH

FOR SONOS ACCESSORIES

IMPORTANT SAFETY INSTRUCTIONS – Retain for future reference:

When using the Flexson mounting system, basic precautions should always be followed, including the following:

- Read the installation instructions carefully before installation and keep them in a safe place. If the product is passed on to a third party, also pass on the assembly instructions.

- Always unplug the SONOS speaker from the electrical outlet before installing it onto the Flexson mounting system.

WARNING - To reduce the risks of burns, fire, electrical shock, or injury to persons:

- Unplug the SONOS speaker from the outlet before putting it on, taking it off, or cleaning.

- Use this mounting system only for the installation of the intended SONOS speaker.

- Avoid contact with moisture/liquid



CAUTION: This mounting system is designed specifically for SONOS products. Using it with other products may lead to mount failure, causing injury or damage.

Additional Safety Guidelines:

- Follow only the instructions provided. Do not modify the product, and do not attempt to use or repair it if damaged.

- Ensure the floor can support **weight of the stand and speaker**. Contact a qualified professional if you have any concerns regarding the floor's suitability.

- **Use the included hardware** and tools as specified in the installation instructions to prevent product instability.

- If the floor stand has been supplied with a **safety cable**, this must be used to secure the stand and prevent accidental tipping.

- All Flexson floor stands are tested for tipping up to a **15-degree angle** to enhance stability. Do not exceed this limit or place additional objects on the stand or speaker.

- **Use only with SONOS speakers**. Exertis (UK) Ltd disclaims responsibility for misuse or improper installation with non-specified devices.

WARNING: Use correct replacement fixings for each FLEXSON wall mount or ceiling models.

Specific instructions and fixings for Installation

Floor Stands for All Models:

- Ensure secure and level placement of the stand on the floor.

- Tighten all screws and fittings as specified in the manual for the model being used.

ADDRESSES:

Manufactured by Exertis UK Ltd. Technology House Magnesium Way, Hapton, Burnley, England, BB12 7BF

EMAIL: customer.services@exertis.co.uk

ECONOMIC OPERATOR:

Exertis Supply Chain Services Limited, Unit 21 Fonthill Business Park, Clondalkin, Dublin 22, D22 FR82. Dublin, Ireland

EMAIL: SCSGPSR.UK@exertis.com